



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/5034749  
Dated/दिनांक : 19-06-2024

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	13-07-2024 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	13-07-2024 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Assam
Department Name/विभाग का नाम	Public Enterprises Department Assam
Organisation Name/संगठन का नाम	Dnp Ltd
Office Name/कार्यालय का नाम	Dnpl
Total Quantity/कुल मात्रा	20
Item Category/मद केटेगरी	API 6D Ball Valves (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	237 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	237 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	10 %

<b>Bid Details/बिड विवरण</b>	
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>ITC available to buyer/क्रेता के लिए उपलब्ध आईटीसी</b>	Yes
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	API 6D Ball Valves
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	7 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Group wise evaluation

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	28

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

Company  
1 No. Borpathar, Madhuban, P.O. Duliajan, Dist. Dibrugarh, Pin-786602, ASSAM  
(Dnp Limited)

**Splitting/विभाजन**

Splitting Applied	Yes
Maximum No. Of Bidders Amongst Which Order May Be Split	2

Split Criteria based on which quantity will be distributed

The owner reserves the right to split the quantity between different bidders for individual groups provided the bidders matches L1 (Lowest cost) prices and all of them meet the technical requirements. But minimum 50% of the quantity shall be awarded to L1 Bidder. If a split occurs, priority will be given to the L-1 bidder, who will receive a 50% share of the business. In this scenario, the L-2 bidder (or the next eligible bidder in case L-2 declines to match) will be invited to match the price offered by the L-1 bidder. If none of the bidders matches the L1 bidder's rate, DNPL reserves the sole discretion to decide whether to award the full quantity of the respective item to the L1 Bidder.

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता

No

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता

No

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

**Excel Upload Required/एक्सेल में अपलोड किए जाने की आवश्यकता :**

Price Bid Format - [1718787348.xlsx](#)

**Evaluation Method** ( Group Wise Evaluation Method )

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Consignee/Reporting Officer	Consignee Address	Quantity
Group A	Api 6d Ball Valves	Nituraj Dutta	1 NO. BARPATHAR VILLAGE, MADHUBAN, PO-DULIAJAN 786602	11
	Api 6d Ball Valves	Nituraj Dutta	1 NO. BARPATHAR VILLAGE, MADHUBAN, PO-DULIAJAN 786602	4
Group B	Api 6d Ball Valves	Nituraj Dutta	1 NO. BARPATHAR VILLAGE, MADHUBAN, PO-DULIAJAN 786602	3
	Api 6d Ball Valves	Nituraj Dutta	1 NO. BARPATHAR VILLAGE, MADHUBAN, PO-DULIAJAN 786602	1
	Api 6d Ball Valves	Nituraj Dutta	1 NO. BARPATHAR VILLAGE, MADHUBAN, PO-DULIAJAN 786602	1

**API 6D Ball Valves ( 11 pieces )****Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Construction	<b>Type of Valve</b>	Full port ball valve, Standard port ball valve, V port ball valve, Internal trunnion mounting ball valve
	<b>Valve Pressure Class</b>	PN 20 (class 150), PN 50 (class 300), PN 64 (class 400), PN 100 (class 600), PN 150 (class 900), PN 250 (class 1500), PN 420 (class 2500)
	<b>Body Style of Ball Valve</b>	Singe Body, Split Body, Top Entry, Three Piece, Welded Body, Two Piece
	<b>Size</b>	50 mm (2"), 65 mm (2.5"), 80 mm (3"), 100 mm (4"), 150 mm (6"), 200 mm (8"), 250 mm (10"), 300 mm (12"), 350 mm (14"), 400 mm (16"), 450 mm (18"), 500 mm (20"), 550 mm (22"), 600 mm (24"), 650 mm (26"), 700 mm (28"), 750 mm (30"), 800 mm (32"), 850 mm (34"), 900 mm (36"), 950 mm (38"), 1000 mm (40"), 1100 mm (42"), 1200 mm (48"), 1400 mm (54"), 1500 mm (60")
	<b>Ends Type (Both)</b>	RF type Flanged ends, RJ type Flanged ends, Welded Ends
Material Specifications	<b>Body Seat Rings</b>	AISI 410, ASTM A182 Gr. F6A, PTFE, Devlon (High Molecular Weight Polyamide)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Ball Material</b>	ASTM A216 GR WCB Carbon Steel, ASTM A216 GR WCC Carbon Steel, ASTM A352 LCB Carbon Steel, ASTM A352 LCC Carbon Steel, ASTM A105N Carbon Steel, ASTM A350 LF2 Carbon/Alloy Steel, ASTM A182 Alloy/Corrosion Resistant Steel, 75 Micron ENP as per ASTM B733, AISI 410, ASTM A 351 GR CF8, ASTM A 351 GR CF8M, ASTM A 351 GR CN7M, ASTM A 351 GR CF3M, ALLOY 20, DUPLEX 4A, DUPLEX5A
	<b>Body Material</b>	ASTM A216 GR WCB Carbon Steel, ASTM A216 GR WCC Carbon Steel, ASTM A352 LCB Carbon Steel, ASTM A352 LCC Carbon Steel, ASTM A105N Carbon Steel, ASTM A350 LF2 Carbon/Alloy Steel, ASTM A182 Alloy/Corrosion Resistant Steel, ASTM A 351 CR CF8, ASTM A 351 CR CF8M
Additional Features	<b>Foot support</b>	Yes, No
	<b>Lifting lugs</b>	Yes, No
	<b>Drain for valve</b>	Yes, No
	<b>Emergency seat Sealant injector system for valve</b>	Yes, No
	<b>Locking arrangement</b>	Yes, No
	<b>Pressure relief vent for valve</b>	Yes, No

**Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details**

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	100%

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nituraj Dutta	786602,1 NO. BARPATTHAR VILLAGE, MADHUBAN, PO-DULIAJAN	11	180

**API 6D Ball Valves ( 4 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Construction	<b>Type of Valve</b>	Full port ball valve, Standard port ball valve, V port ball valve, Internal trunnion mounting ball valve
	<b>Valve Pressure Class</b>	PN 20 (class 150), PN 50 (class 300), PN 64 (class 400), PN 100 (class 600), PN 150 (class 900), PN 250 (class 1500), PN 420 (class 2500)
	<b>Body Style of Ball Valve</b>	Singe Body, Split Body, Top Entry, Three Piece, Welded Body, Two Piece
	<b>Size</b>	50 mm (2"), 65 mm (2.5"), 80 mm (3"), 100 mm (4"), 150 mm (6"), 200 mm (8"), 250 mm (10"), 300 mm (12"), 350 mm (14"), 400 mm (16"), 450 mm (18"), 500 mm (20"), 550 mm (22"), 600 mm (24"), 650 mm (26"), 700 mm (28"), 750 mm (30"), 800 mm (32"), 850 mm (34"), 900 mm (36"), 950 mm (38"), 1000 mm (40"), 1100 mm (42"), 1200 mm (48"), 1400 mm (54"), 1500 mm (60")
	<b>Ends Type (Both)</b>	RF type Flanged ends, RJ type Flanged ends, Welded Ends
Material Specifications	<b>Body Seat Rings</b>	AISI 410, ASTM A182 Gr. F6A, PTFE, Devlon (High Molecular Weight Polyamide)
	<b>Ball Material</b>	ASTM A216 GR WCB Carbon Steel, ASTM A216 GR WCC Carbon Steel, ASTM A352 LCB Carbon Steel, ASTM A352 LCC Carbon Steel, ASTM A105N Carbon Steel, ASTM A350 LF2 Carbon/Alloy Steel, ASTM A182 Alloy/Corrosion Resistant Steel, 75 Micron ENP as per ASTM B733, AISI 410, ASTM A 351 GR CF8, ASTM A 351 GR CF8M, ASTM A 351 GR CN7M, ASTM A 351 GR CF3M, ALLOY 20, DUPLEX 4A, DUPLEX5A
	<b>Body Material</b>	ASTM A216 GR WCB Carbon Steel, ASTM A216 GR WCC Carbon Steel, ASTM A352 LCB Carbon Steel, ASTM A352 LCC Carbon Steel, ASTM A105N Carbon Steel, ASTM A350 LF2 Carbon/Alloy Steel, ASTM A182 Alloy/Corrosion Resistant Steel, ASTM A 351 CR CF8, ASTM A 351 CR CF8M
Additional Features	<b>Foot support</b>	Yes, No
	<b>Lifting lugs</b>	Yes, No
	<b>Drain for valve</b>	Yes, No
	<b>Emergency seat Sealant injector system for valve</b>	Yes, No
	<b>Locking arrangement</b>	Yes, No
	<b>Pressure relief vent for valve</b>	Yes, No

**Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details**

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	100%

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nituraj Dutta	786602,1 NO. BARPAT HAR VILLAGE, MADHUBAN, PO-DULIAJAN	4	180

**API 6D Ball Valves ( 3 pieces )****Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Construction	<b>Type of Valve</b>	Full port ball valve, Standard port ball valve, V port ball valve, Internal trunnion mounting ball valve
	<b>Valve Pressure Class</b>	PN 20 (class 150), PN 50 (class 300), PN 64 (class 400), PN 100 (class 600), PN 150 (class 900), PN 250 (class 1500), PN 420 (class 2500)
	<b>Body Style of Ball Valve</b>	Singe Body, Split Body, Top Entry, Three Piece, Welded Body, Two Piece
	<b>Size</b>	50 mm (2"), 65 mm (2.5"), 80 mm (3"), 100 mm (4"), 150 mm (6"), 200 mm (8"), 250 mm (10"), 300 mm (12"), 350 mm (14"), 400 mm (16"), 450 mm (18"), 500 mm (20"), 550 mm (22"), 600 mm (24"), 650 mm (26"), 700 mm (28"), 750 mm (30"), 800 mm (32"), 850 mm (34"), 900 mm (36"), 950 mm (38"), 1000 mm (40"), 1100 mm (42"), 1200 mm (48"), 1400 mm (54"), 1500 mm (60")
	<b>Ends Type (Both)</b>	RF type Flanged ends, RJ type Flanged ends, Welded Ends
Material Specifications	<b>Body Seat Rings</b>	AISI 410, ASTM A182 Gr. F6A, PTFE, Devlon (High Molecular Weight Polyamide)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Ball Material</b>	ASTM A216 GR WCB Carbon Steel, ASTM A216 GR WCC Carbon Steel, ASTM A352 LCB Carbon Steel, ASTM A352 LCC Carbon Steel, ASTM A105N Carbon Steel, ASTM A350 LF2 Carbon/Alloy Steel, ASTM A182 Alloy/Corrosion Resistant Steel, 75 Micron ENP as per ASTM B733, AISI 410, ASTM A 351 GR CF8, ASTM A 351 GR CF8M, ASTM A 351 GR CN7M, ASTM A 351 GR CF3M, ALLOY 20, DUPLEX 4A, DUPLEX5A
	<b>Body Material</b>	ASTM A216 GR WCB Carbon Steel, ASTM A216 GR WCC Carbon Steel, ASTM A352 LCB Carbon Steel, ASTM A352 LCC Carbon Steel, ASTM A105N Carbon Steel, ASTM A350 LF2 Carbon/Alloy Steel, ASTM A182 Alloy/Corrosion Resistant Steel, ASTM A 351 CR CF8, ASTM A 351 CR CF8M
Additional Features	<b>Foot support</b>	Yes, No
	<b>Lifting lugs</b>	Yes, No
	<b>Drain for valve</b>	Yes, No
	<b>Emergency seat Sealant injector system for valve</b>	Yes, No
	<b>Locking arrangement</b>	Yes, No
	<b>Pressure relief vent for valve</b>	Yes, No

**Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details**

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	100%

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nituraj Dutta	786602,1 NO. BARPAT HAR VILLAGE, MADHUBAN, PO-DULIAJAN	3	180

**API 6D Ball Valves ( 1 pieces )**



**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Construction	<b>Type of Valve</b>	Full port ball valve, Standard port ball valve, V port ball valve, Internal trunnion mounting ball valve
	<b>Valve Pressure Class</b>	PN 20 (class 150), PN 50 (class 300), PN 64 (class 400), PN 100 (class 600), PN 150 (class 900), PN 250 (class 1500), PN 420 (class 2500)
	<b>Body Style of Ball Valve</b>	Singe Body, Split Body, Top Entry, Three Piece, Welded Body, Two Piece
	<b>Size</b>	50 mm (2"), 65 mm (2.5"), 80 mm (3"), 100 mm (4"), 150 mm (6"), 200 mm (8"), 250 mm (10"), 300 mm (12"), 350 mm (14"), 400 mm (16"), 450 mm (18"), 500 mm (20"), 550 mm (22"), 600 mm (24"), 650 mm (26"), 700 mm (28"), 750 mm (30"), 800 mm (32"), 850 mm (34"), 900 mm (36"), 950 mm (38"), 1000 mm (40"), 1100 mm (42"), 1200 mm (48"), 1400 mm (54"), 1500 mm (60")
	<b>Ends Type (Both)</b>	RF type Flanged ends, RJ type Flanged ends, Welded Ends
Material Specifications	<b>Body Seat Rings</b>	AISI 410, ASTM A182 Gr. F6A, PTFE, Devlon (High Molecular Weight Polyamide)
	<b>Ball Material</b>	ASTM A216 GR WCB Carbon Steel, ASTM A216 GR WCC Carbon Steel, ASTM A352 LCB Carbon Steel, ASTM A352 LCC Carbon Steel, ASTM A105N Carbon Steel, ASTM A350 LF2 Carbon/Alloy Steel, ASTM A182 Alloy/Corrosion Resistant Steel, 75 Micron ENP as per ASTM B733, AISI 410, ASTM A 351 GR CF8, ASTM A 351 GR CF8M, ASTM A 351 GR CN7M, ASTM A 351 GR CF3M, ALLOY 20, DUPLEX 4A, DUPLEX5A
	<b>Body Material</b>	ASTM A216 GR WCB Carbon Steel, ASTM A216 GR WCC Carbon Steel, ASTM A352 LCB Carbon Steel, ASTM A352 LCC Carbon Steel, ASTM A105N Carbon Steel, ASTM A350 LF2 Carbon/Alloy Steel, ASTM A182 Alloy/Corrosion Resistant Steel, ASTM A 351 CR CF8, ASTM A 351 CR CF8M
Additional Features	<b>Foot support</b>	Yes, No
	<b>Lifting lugs</b>	Yes, No
	<b>Drain for valve</b>	Yes, No
	<b>Emergency seat Sealant injector system for valve</b>	Yes, No
	<b>Locking arrangement</b>	Yes, No
	<b>Pressure relief vent for valve</b>	Yes, No

**Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details**

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	100%

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nituraj Dutta	786602,1 NO. BARPAT HAR VILLAGE, MADHUBAN, PO-DULIAJAN	1	180

**API 6D Ball Valves ( 1 pieces )****Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Construction	<b>Type of Valve</b>	Full port ball valve, Standard port ball valve, V port ball valve, Internal trunnion mounting ball valve
	<b>Valve Pressure Class</b>	PN 20 (class 150), PN 50 (class 300), PN 64 (class 400), PN 100 (class 600), PN 150 (class 900), PN 250 (class 1500), PN 420 (class 2500)
	<b>Body Style of Ball Valve</b>	Singe Body, Split Body, Top Entry, Three Piece, Welded Body, Two Piece
	<b>Size</b>	50 mm (2"), 65 mm (2.5"), 80 mm (3"), 100 mm (4"), 150 mm (6"), 200 mm (8"), 250 mm (10"), 300 mm (12"), 350 mm (14"), 400 mm (16"), 450 mm (18"), 500 mm (20"), 550 mm (22"), 600 mm (24"), 650 mm (26"), 700 mm (28"), 750 mm (30"), 800 mm (32"), 850 mm (34"), 900 mm (36"), 950 mm (38"), 1000 mm (40"), 1100 mm (42"), 1200 mm (48"), 1400 mm (54"), 1500 mm (60")
	<b>Ends Type (Both)</b>	RF type Flanged ends, RJ type Flanged ends, Welded Ends
Material Specifications	<b>Body Seat Rings</b>	AISI 410, ASTM A182 Gr. F6A, PTFE, Devlon (High Molecular Weight Polyamide)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Ball Material</b>	ASTM A216 GR WCB Carbon Steel, ASTM A216 GR WCC Carbon Steel, ASTM A352 LCB Carbon Steel, ASTM A352 LCC Carbon Steel, ASTM A105N Carbon Steel, ASTM A350 LF2 Carbon/Alloy Steel, ASTM A182 Alloy/Corrosion Resistant Steel, 75 Micron ENP as per ASTM B733, AISI 410, ASTM A 351 GR CF8, ASTM A 351 GR CF8M, ASTM A 351 GR CN7M, ASTM A 351 GR CF3M, ALLOY 20, DUPLEX 4A, DUPLEX5A
	<b>Body Material</b>	ASTM A216 GR WCB Carbon Steel, ASTM A216 GR WCC Carbon Steel, ASTM A352 LCB Carbon Steel, ASTM A352 LCC Carbon Steel, ASTM A105N Carbon Steel, ASTM A350 LF2 Carbon/Alloy Steel, ASTM A182 Alloy/Corrosion Resistant Steel, ASTM A 351 CR CF8, ASTM A 351 CR CF8M
Additional Features	<b>Foot support</b>	Yes, No
	<b>Lifting lugs</b>	Yes, No
	<b>Drain for valve</b>	Yes, No
	<b>Emergency seat Sealant injector system for valve</b>	Yes, No
	<b>Locking arrangement</b>	Yes, No
	<b>Pressure relief vent for valve</b>	Yes, No

**Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details**

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	100%

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nituraj Dutta	786602,1 NO. BARPATTHAR VILLAGE, MADHUBAN, PO-DULIAJAN	1	180

## Buyer added Bid Specific Additional Scope of Work

S.No.क्र.सं	Document Title	Description	Applicable/रिवर्स प्रभार के अनुसार जीएसटी i.r.o. Items
1	Vol II of II Technical <a href="#">View</a>	Vol II of II Technical	API 6D Ball Valves(11)
2	Vol II of II Technical <a href="#">View</a>	Vol II of II Technical	API 6D Ball Valves(4)
3	Vol II of II Technical <a href="#">View</a>	Vol II of II Technical	API 6D Ball Valves(3)
4	Vol II of II Technical <a href="#">View</a>	Vol II of II Technical	API 6D Ball Valves(1)
5	Vol II of II Technical <a href="#">View</a>	Vol II of II Technical	API 6D Ball Valves(1)

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

## Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

### 1. Financial Criteria

**NET WORTH:** Net Worth of the OEM should be positive as per the last audited financial statement.

### 2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.

5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**